

#### The Dow Acquisition of Rohm and Haas (A)



Vol XCIII, No. 311

Thecasesolutions.com

\$1.25

### By: Jared & Jake



Vol XCIII, No. 311

How Could It Have Been Prevented?

March 22, 2016

\$1.25

#### **DOW Chemical**





#### What is DOW?

- American multinational chemical corporation
- Headquartered in Michigan, United States
- 180 Countries



Thecasesolutions.com











#### Aftermath Of The Leak



- CEO was placed under house arrest in India
- The healthcare system became overloaded
- 70% of doctors were not qualified
- 2,000 animals were buried
- Fishing was banned













# The Dow Acquisition of Rohm and Haas (A)



Vol XCIII, No. 311

#### Thecasesolutions.com

\$1.25

### **DOW Chemical**





#### What is DOW?

American multinational

#### The cases olutions.com What Was The Bhopal Disaster?

- People were exposed to methyl isocyanate (MIC) gas and other chemicals
- A gas cloud may its way into towns surrounding the plant
- The official immediate death toll was 2,259



# DOW Chemical





#### Michigan



#### What is DOW?


- American multinational chemical corporation
- Headquartered in Michigan, United States
- 180 Countries





# Union Carbide

#### Who Are They?



- Formed 1917
- Chemical and polymers producing corporation
- Acquired in 2001 by Dow
- Every day toys and food containers






# What Do They Do?

#### What Is There Market?



- Chemical, plastic, and agricultural products and services
- Market: food, transportation, health and medicine, personal care and construction



# **Bhopal Disaster**

#### "The world's worst industrial disaster"

- Union Carbide
- Bhopal, India
- December 3rd, 1984
- At least 3,787 confirmed deaths
- Over 550,000 non-fatal injuries



# The cases olutions.com What Was The Bhopal Disaster?


- People were exposed to methyl isocyanate (MIC) gas and other chemicals
- A gas cloud may its way into towns surrounding the plant
- The official immediate death toll was 2,259



### How Was It Caused?

- Most of the safety systems were not functioning properly
- Cooling system was not turned on
- Many valves and lines were in poor condition
- One of the tanks contained more MIC than it was suppose to
- Water entered the tank
- "Runaway reaction"





# Health Related Effects

#### **Short Term**

#### **Long Term**

- Coughing
- Vomiting
- Severe eye irritation
- Feeling of being suffocated

- Eyes
- Respiratory tracts
- Neurological system
- Psychological issues
- · Children's health